# PHY301 Circuit Theory

# **Important mcqs**

# Lec 1 - International System of Units

What is the base unit of length in the International System of Units (SI)?

- A) Meter
- B) Second
- C) Kelvin
- D) Mole
- Answer: A) Meter

#### What is the base unit of mass in the International System of Units (SI)?

- A) Kelvin
- B) Second
- C) Kilogram
- D) Candela
- Answer: C) Kilogram

# What is the base unit of time in the International System of Units (SI)?

- A) Kelvin
- B) Second
- C) Ampere
- D) Candela
- Answer: B) Second

What is the base unit of electric current in the International System of Units (SI)?

- A) Ampere
- B) Kelvin
- C) Mole
- D) Candela
- Answer: A) Ampere

#### What is the base unit of temperature in the International System of Units (SI)?

- A) Ampere
- B) Kelvin
- C) Mole
- D) Candela

### Answer: B) Kelvin

#### What is the base unit of amount of substance in the International System of Units (SI)?

- A) Kelvin
- B) Mole
- C) Second
- D) Candela

#### Answer: B) Mole

#### What is the base unit of luminous intensity in the International System of Units (SI)?

- A) Ampere
- B) Kelvin
- C) Mole
- D) Candela

#### Answer: D) Candela

## What is the prefix for the value 1/1,000 in the International System of Units (SI)?

A) Micro

B) Milli

C) Kilo

D) Mega

Answer: B) Milli

# What is the prefix for the value 1,000,000 in the International System of Units (SI)?

A) Micro

B) Milli

C) Kilo

D) Mega

Answer: D) Mega

# What is the prefix for the value 1,000,000,000 in the International System of Units (SI)?

A) Giga

B) Nano

C) Tera

D) Pico

Answer: A) Giga

# Lec 2 - Negative and Positive Polarities of battery

# Which terminal of a battery is typically marked with a "+" symbol?

- a) Positive terminal
- b) Negative terminal
- c) Both terminals
- d) None of the above

## Answer: a) Positive terminal

#### Which terminal of a battery is typically marked with a "-" symbol?

- a) Positive terminal
- b) Negative terminal
- c) Both terminals
- d) None of the above

## Answer: b) Negative terminal

# What role does the positive polarity of a battery play in a circuit?

- a) Determines the voltage of the circuit
- b) Determines the direction of the electrical current flowing through the circuit
- c) Both A and B
- d) None of the above

# Answer: b) Determines the direction of the electrical current flowing through the circuit

#### What role does the negative polarity of a battery play in a circuit?

- a) Determines the voltage of the circuit
- b) Determines the direction of the electrical current flowing through the circuit
- c) Both A and B
- d) None of the above

# Answer: a) Determines the voltage of the circuit

## What is the unit of voltage?

- a) Ampere
- b) Watt
- c) Volt
- d) Ohm
- Answer: c) Volt

#### What is the function of the positive terminal of a battery in a circuit?

- a) Where the electrical current flows into the battery
- b) Completing the circuit
- c) Where the electrical current flows out of the battery and into the circuit
- d) None of the above

#### Answer: c) Where the electrical current flows out of the battery and into the circuit

#### What is the function of the negative terminal of a battery in a circuit?

- a) Where the electrical current flows into the battery
- b) Completing the circuit
- c) Where the electrical current flows out of the battery and into the circuit
- d) None of the above

#### Answer: a) Where the electrical current flows into the battery

#### Which of the following is true regarding the voltage of a circuit?

- a) Higher voltage batteries can deliver less energy to the circuit
- b) Lower voltage batteries can deliver more energy to the circuit
- c) Higher voltage batteries can deliver more energy to the circuit
- d) None of the above

# Answer: c) Higher voltage batteries can deliver more energy to the circuit

## Why is understanding the polarity of a battery important in circuit theory?

- a) Determines the direction of the electrical current flowing through the circuit
- b) Determines the voltage of the circuit
- c) Helps to identify problems in a circuit
- d) All of the above

Answer: d) All of the above

# How can understanding the positive and negative polarities of batteries help in troubleshooting problems in a circuit?

- a) Identifying the direction of the electrical current flowing through the circuit
- b) Identifying the voltage of the circuit
- c) Both A and B
- d) None of the above

## Answer: c) Both A and B

# Lec 3 - Inductance in parallel

## 10 mcqs for 'Inductance in Parallel' with a solution and multiple options

In a parallel inductance circuit, how does the total inductance change as more inductors are added?

- a) Increases
- b) Decreases
- c) Remains the same

Answer: b) Decreases

#### What is the formula for calculating the total inductance of inductors in parallel?

- a) Ltotal = L1 + L2
- b)  $Ltotal = L1 \times L2$
- c) Ltotal = L1 / L2

## Answer: a) Ltotal = L1 + L2

#### How does the current divide between inductors in a parallel inductance circuit?

- a) Equally
- b) According to their individual impedances
- c) Inversely proportional to their inductances

### Answer: b) According to their individual impedances

# In a parallel inductance circuit, what is the phase difference between the current and voltage across an inductor?

- a) 0 degrees
- b) 45 degrees
- c) 90 degrees

#### Answer: c) 90 degrees

#### How does the addition of a capacitor affect the impedance in a parallel inductance circuit?

a) Increases the impedance

- b) Decreases the impedance
- c) Does not affect the impedance

#### Answer: b) Decreases the impedance

Can the total inductance of inductors in parallel ever be greater than the value of the individual inductors?

a) Yes

b) No

Answer: b) No

#### How does the inductance in a parallel circuit change as the frequency increases?

- a) Increases
- b) Decreases
- c) Remains the same

#### Answer: b) Decreases

#### What is the formula for calculating the equivalent impedance of inductors in parallel?

- a) Z = Z1 + Z2
- b)  $Z = Z1 \times Z2$

c) Z = 1/(1/Z1 + 1/Z2)

Answer: c) Z = 1/(1/Z1 + 1/Z2)

#### What is the advantage of using inductors in parallel in a circuit?

a) Increases the overall inductance

- b) Decreases the current handling capacity
- c) Increases the current handling capacity while decreasing the overall inductance

#### Answer: c) Increases the current handling capacity while decreasing the overall inductance

#### In a parallel inductance circuit, what is the relationship between the impedance and the frequency?

- a) Impedance increases as frequency increases
- b) Impedance decreases as frequency increases
- c) Impedance remains the same as frequency increases

# Answer: b) Impedance decreases as frequency increases

# Lec 4 - Ideal voltage source

# Which of the following is a characteristic of an ideal voltage source?

- a) It has a non-zero internal resistance
- b) Its voltage output changes with time
- c) Its voltage output remains constant regardless of the load
- d) It can exist in reality

Answer: c) Its voltage output remains constant regardless of the load

#### What is the internal resistance of an ideal voltage source?

- a) Zero
- b) Infinite
- c) Non-zero but very small
- d) Non-zero but very large
- Answer: a) Zero

# Can an ideal voltage source exist in reality?

- a) Yes
- b) No
- Answer: b) No

# What is the practical application of an ideal voltage source?

- a) To supply power to a circuit
- b) To serve as a reference voltage for other circuits
- c) To measure the voltage of a circuit
- d) None of the above

Answer: b) To serve as a reference voltage for other circuits

What happens to the voltage output of an ideal voltage source when it is short-circuited?

- a) It decreases
- b) It increases
- c) It remains constant
- d) It becomes zero

#### Answer: c) It remains constant

#### What is the significance of an ideal voltage source in circuit analysis?

- a) It simplifies the analysis of complex circuits
- b) It makes the analysis of complex circuits more difficult
- c) It has no significance in circuit analysis
- d) None of the above

#### Answer: a) It simplifies the analysis of complex circuits

#### Can the voltage output of an ideal voltage source change with time?

- a) Yes
- b) No

Answer: b) No

#### What is the difference between an ideal voltage source and a real voltage source?

a) An ideal voltage source has a non-zero internal resistance, while a real voltage source has zero internal resistance

b) An ideal voltage source varies its output based on external conditions, while a real voltage source provides a constant voltage output

c) There is no difference between an ideal voltage source and a real voltage source

d) None of the above

# Answer: b) An ideal voltage source varies its output based on external conditions, while a real voltage source provides a constant voltage output

#### What happens to the current flowing through an ideal voltage source when it is short-circuited?

a) It remains the same

- b) It becomes zero
- c) It becomes infinite
- d) None of the above
- Answer: c) It becomes infinite

# What are the limitations of an ideal voltage source?

- a) It cannot exist in reality
- b) It cannot supply an infinite amount of current
- c) Both a and b
- d) None of the above

## Answer: c) Both a and b

# Lec 5 - Current divider with two parallel resistances

## What is a current divider with two parallel resistances?

- a) A circuit that divides the voltage flowing through a circuit into two branches
- b) A circuit that divides the current flowing through a circuit into two branches
- c) A circuit that increases the current flowing through a circuit
- d) A circuit that decreases the current flowing through a circuit

## Answer: b) A circuit that divides the current flowing through a circuit into two branches

# What is the formula for calculating the current flowing through each resistor in a current divider with two parallel resistances?

a) I1 =  $(R1 / (R1 + R2)) \times I$  and I2 =  $(R2 / (R1 + R2)) \times I$ 

b) I1 =  $(R2 / (R1 + R2)) \times I$  and I2 =  $(R1 / (R1 + R2)) \times I$ 

c)  $I1 = (R1 + R2) \times I$  and  $I2 = (R1 + R2) \times I$ 

d)  $I1 = R1 \times I$  and  $I2 = R2 \times I$ 

Answer: a)  $I1 = (R1 / (R1 + R2)) \times I$  and  $I2 = (R2 / (R1 + R2)) \times I$ 

# What happens to the current flowing through each resistor if the resistance value of one resistor is significantly higher than the other?

a) The current flowing through the higher resistance resistor is significantly less than the current flowing through the lower resistance resistor

b) The current flowing through the higher resistance resistor is significantly more than the current flowing through the lower resistance resistor

- c) The current flowing through each resistor is equal
- d) The current flowing through each resistor is unpredictable

# Answer: a) The current flowing through the higher resistance resistor is significantly less than the current flowing through the lower resistance resistor

#### How is the current divider with two parallel resistances used in power supply circuits?

a) To increase the current flowing through the circuit

b) To distribute current between multiple loads, allowing the power supply to deliver a constant voltage to each load

- c) To measure the current flowing through the circuit
- d) To regulate the voltage flowing through the circuit

# Answer: b) To distribute current between multiple loads, allowing the power supply to deliver a constant voltage to each load

# What is the importance of the current divider with two parallel resistances in circuit analysis and design?

- a) It allows us to calculate the voltage flowing through individual circuit components
- b) It allows us to calculate the power flowing through individual circuit components
- c) It allows us to calculate the current flowing through individual circuit components
- d) It allows us to calculate the resistance value of individual circuit components

#### Answer: c) It allows us to calculate the current flowing through individual circuit components

#### Can the current divider with two parallel resistances be used with more than two resistors?

- a) No, it can only be used with two resistors
- b) Yes, but the calculation formula becomes more complex
- c) Yes, but the calculation formula remains the same
- d) Yes, but it requires additional circuit components

#### Answer: b) Yes, but the calculation formula becomes more complex

#### Can the current divider with two parallel resistances be used in AC circuits?

- a) No, it can only be used in DC circuits
- b) Yes, but the calculation formula is different, and the impedance value replaces the resistance value
- c) Yes, but the calculation formula remains the same as in DC circuits
- d) Yes, but it requires additional circuit components

# Answer: b) Yes, but the calculation formula is different, and the impedance value replaces the resistance value

# Lec 6 - Kirchhoff's Current Law

## What is Kirchhoff's Current Law?

- a) The sum of the voltages around a loop in a circuit is zero.
- b) The sum of the currents entering a node in a circuit is equal to the sum of the currents leaving the node.
- c) The voltage across a resistor is proportional to the current flowing through it.
- d) None of the above.

# Answer: b) The sum of the currents entering a node in a circuit is equal to the sum of the currents leaving the node.

#### Kirchhoff's Current Law is based on the principle of:

- a) Conservation of energy
- b) Conservation of mass
- c) Conservation of charge
- d) Conservation of momentum

#### Answer: c) Conservation of charge

#### What is a node in an electrical circuit?

- a) A component that stores energy in an electric field
- b) A component that stores energy in a magnetic field
- c) A point where two or more components are connected together
- d) None of the above

#### Answer: c) A point where two or more components are connected together

#### KCL is often used in conjunction with:

- a) Ohm's Law
- b) Kirchhoff's Voltage Law
- c) Faraday's Law
- d) None of the above

#### Answer: b) Kirchhoff's Voltage Law

## KCL can be used to determine:

- a) The voltage drop across a resistor
- b) The current flowing through a capacitor
- c) The current flowing in different branches of a circuit
- d) None of the above

#### Answer: c) The current flowing in different branches of a circuit

#### How can KCL be applied to circuit meshes?

- a) By summing the voltages around each mesh
- b) By summing the currents entering and leaving each mesh
- c) By summing the resistances in each mesh
- d) None of the above

#### Answer: b) By summing the currents entering and leaving each mesh

#### The equation for KCL is:

- a) ? V = 0
- b) ? R = 0
- c) ? I\_in = ? I\_out
- d) None of the above
- Answer: c) ? I\_in = ? I\_out

#### KCL can be used to analyze circuits with:

- a) Resistors only
- b) Capacitors only
- c) Inductors only
- d) Any combination of circuit elements

#### Answer: d) Any combination of circuit elements

#### What is the difference between a current source and a current sink?

- a) A current source generates a constant current flow, while a current sink absorbs current.
- b) A current source generates a constant voltage, while a current sink absorbs voltage.
- c) A current source generates a varying current flow, while a current sink generates a constant current flow.

d) None of the above.

#### Answer: a) A current source generates a constant current flow, while a current sink absorbs current.

#### KCL can be used to solve problems involving:

- a) Voltage sources only
- b) Current sources only
- c) Resistors only
- d) Any combination of circuit elements

#### Answer: d) Any combination of circuit elements

# Lec 7 - Application of Nodal Analysis

## What is the first step in applying nodal analysis to a circuit?

- a) Identify the voltage sources in the circuit
- b) Identify the nodes in the circuit
- c) Identify the ground node
- d) Identify the current sources in the circuit

#### Answer: b) Identify the nodes in the circuit

#### How many nodes are in a circuit with three branches and two voltage sources?

- a) 2
  b) 3
  c) 4
  d) 5
- Answer: b) 3

#### What is the mathematical technique used to solve the equations generated during nodal analysis?

- a) Kirchhoff's voltage law
- b) Ohm's law
- c) Matrix inversion
- d) Superposition theorem

## Answer: c) Matrix inversion

#### In nodal analysis, what is the purpose of assigning a reference node or ground?

- a) To make the calculations easier
- b) To ensure that the circuit is safe to work on
- c) To provide a fixed voltage reference point
- d) To ensure that the circuit operates efficiently

# Answer: c) To provide a fixed voltage reference point

## What is the formula for calculating the voltage at a node in nodal analysis?

- a) V = IR
- b) V = I/R
- c) V = I + R
- d) V = I R
- Answer: b) V = I/R

#### How does nodal analysis help in the design of power supplies?

- a) It ensures that the power supply is safe to use
- b) It helps to optimize the efficiency and performance of the power supply
- c) It reduces the cost of components in the power supply
- d) It helps to minimize the size of the power supply

#### Answer: b) It helps to optimize the efficiency and performance of the power supply

#### What is the advantage of using nodal analysis over other circuit analysis techniques?

- a) It is faster and easier to use
- b) It can be used to analyze any type of circuit
- c) It provides a more detailed understanding of the circuit operation
- d) It is more accurate than other techniques

#### Answer: c) It provides a more detailed understanding of the circuit operation

#### What is the purpose of writing an equation for each node in the circuit during nodal analysis?

- a) To calculate the voltage at each node
- b) To calculate the current through each resistor
- c) To calculate the power dissipated by each component
- d) To ensure that Kirchhoff's current law is satisfied

#### Answer: d) To ensure that Kirchhoff's current law is satisfied

#### What is the role of the conductance matrix in nodal analysis?

- a) It represents the resistances in the circuit
- b) It represents the conductances between each pair of nodes
- c) It represents the voltage drops across each component
- d) It represents the currents in each branch of the circuit

#### Answer: b) It represents the conductances between each pair of nodes

#### In nodal analysis, what is the purpose of introducing supernodes?

- a) To simplify the equations generated by Kirchhoff's current law
- b) To combine two or more nodes into a single node
- c) To introduce additional voltage sources into the circuit
- d) To increase the accuracy of the analysis

Answer: b) To combine two or more nodes into a single node

# Lec 8 - Reference node

## What is a reference node in circuit theory?

- a) A node with a voltage source connected to it
- b) A node with a current source connected to it
- c) A node used as a point of reference for potential measurements
- d) A node used as a point of reference for current measurements

Answer: c) A node used as a point of reference for potential measurements

#### What is another name for a reference node?

- a) Ground node
- b) Power node
- c) Voltage node
- d) Current node

#### Answer: a) Ground node

#### What is the potential of a reference node usually assigned?

- a) 1 V
- b) 5 V
- c) 10 V
- d) 0 V

Answer: d) 0 V

#### How is the reference node represented in circuit diagrams?

- a) As a circle
- b) As a square
- c) As a downward-pointing arrow
- d) As an upward-pointing arrow

#### Answer: c) As a downward-pointing arrow

#### How does the choice of reference node affect circuit analysis?

- a) It does not affect circuit analysis
- b) It makes circuit analysis easier
- c) It makes circuit analysis more difficult
- d) It changes the behavior of the circuit

#### Answer: b) It makes circuit analysis easier

#### What is the role of the reference node in the analysis of voltage sources?

- a) It determines the current flowing through the voltage source
- b) It provides a point of reference for potential measurements
- c) It determines the voltage drop across the voltage source
- d) It has no role in the analysis of voltage sources

#### Answer: b) It provides a point of reference for potential measurements

#### How does the reference node simplify the analysis of current sources?

- a) It provides a point of reference for current measurements
- b) It determines the direction of current flow through the current source
- c) It has no effect on the analysis of current sources
- d) It does not simplify the analysis of current sources

#### Answer: b) It determines the direction of current flow through the current source

#### What is the purpose of choosing a reference node in circuit analysis?

- a) To determine the value of resistance in the circuit
- b) To determine the value of capacitance in the circuit
- c) To simplify circuit analysis
- d) To complicate circuit analysis

#### Answer: c) To simplify circuit analysis

# Can a node other than the reference node be used as a point of reference for potential measurements?

- a) Yes, any node can be used
- b) No, only the reference node can be used
- c) Only some nodes can be used as a point of reference
- d) It depends on the type of circuit

#### Answer: a) Yes, any node can be used

### Why is the concept of a reference node important in circuit theory?

- a) It determines the behavior of the circuit
- b) It makes circuit analysis more difficult
- c) It simplifies circuit analysis
- d) It has no effect on circuit analysis

## Answer: c) It simplifies circuit analysis

# Lec 9 - Super Node

### What is a super node in circuit theory?

- a) A node with a high voltage
- b) A node with two or more voltage sources
- c) A node with a voltage source and a current source
- d) A combination of two nodes with different voltages

#### Answer: d) A combination of two nodes with different voltages

#### What is the purpose of creating a super node?

- a) To simplify the circuit analysis process
- b) To increase the power of the circuit
- c) To reduce the overall resistance of the circuit
- d) To decrease the capacitance of the circuit

#### Answer: a) To simplify the circuit analysis process

# In a circuit, if there are two voltage sources connected to a super node, what is the voltage of the super node?

- a) The sum of the voltages of the two voltage sources
- b) The difference of the voltages of the two voltage sources
- c) The average of the voltages of the two voltage sources
- d) It cannot be determined without more information

#### Answer: d) It cannot be determined without more information

#### Can a current source be part of a super node?

- a) Yes, but only if it is connected to a voltage source
- b) No, a current source cannot be part of a super node
- c) Yes, as long as it is not connected to any other current sources
- d) Yes, it can be part of a super node regardless of other connections

#### Answer: d) Yes, it can be part of a super node regardless of other connections

#### What is the advantage of using a super node in circuit analysis?

- a) It reduces the complexity of the circuit
- b) It makes it easier to identify the voltage and current in a particular branch
- c) It allows for the use of more voltage sources in a circuit
- d) It decreases the overall resistance of the circuit

#### Answer: a) It reduces the complexity of the circuit

#### How is a super node represented in a circuit diagram?

- a) As a dashed line connecting two nodes with different voltages
- b) As a circle enclosing two or more nodes with different voltages
- c) As a square enclosing two or more nodes with different voltages
- d) As a triangle pointing towards the higher voltage node

#### Answer: b) As a circle enclosing two or more nodes with different voltages

#### When analyzing a circuit with a super node, how many equations are required for each super node?

- a) One equation
- b) Two equations
- c) Three equations
- d) It depends on the complexity of the circuit

#### Answer: a) One equation

#### In a circuit with two super nodes, how many equations are required for each super node?

- a) One equation
- b) Two equations
- c) Three equations
- d) It depends on the complexity of the circuit

#### Answer: a) One equation

When applying KCL to a super node, what is the equation used to find the voltage of the super node?

a) V = IR

- b) V = IR + E
- c) V = I/R
- d) V = I(R1 + R2)

#### Answer: b) V = IR + E

#### Can a super node be created using two nodes with the same voltage?

- a) Yes, as long as there is a voltage source between the two nodes
- b) No, a super node requires nodes with different voltages
- c) Yes, but it would not provide any advantage in circuit analysis
- d) Yes, as long as there is a current source between the two nodes

Answer: c) Yes, but it would not provide any advantage in circuit analysis

# Lec 10 - Examples of Nodal Analysis - Super Node technique

### What is the Super Node technique used for?

- a) To simplify nodal analysis for circuits with voltage sources only
- b) To simplify nodal analysis for circuits with current sources only
- c) To simplify nodal analysis for circuits with both current and voltage sources
- d) To calculate the power dissipated in a circuit

Answer: c) To simplify nodal analysis for circuits with both current and voltage sources

#### What is a super node in nodal analysis?

- a) A node with only voltage sources connected to it
- b) A node with only current sources connected to it
- c) A group of two or more nodes that are analyzed together as one node
- d) A node with a reference voltage of zero

#### Answer: c) A group of two or more nodes that are analyzed together as one node

#### What is the purpose of creating a super node?

- a) To simplify the circuit for analysis
- b) To add more complexity to the circuit
- c) To make the circuit more difficult to analyze
- d) To increase the voltage drop across a specific element

#### Answer: a) To simplify the circuit for analysis

#### How is the voltage across a super node determined in nodal analysis?

- a) By applying Kirchhoff's voltage law (KVL)
- b) By applying Ohm's law
- c) By using the super node equation
- d) By applying Kirchhoff's current law (KCL)

#### Answer: a) By applying Kirchhoff's voltage law (KVL)

#### In nodal analysis, what is the super node equation?

a) An equation that relates the voltage across a super node to the currents flowing into and out of the super node

b) An equation that relates the currents flowing into and out of a single node

c) An equation that relates the voltage across a single node to the currents flowing into and out of the node

d) An equation that relates the power dissipated by a specific element to the voltage and current across that element

# Answer: a) An equation that relates the voltage across a super node to the currents flowing into and out of the super node

# How many equations are needed to solve for the unknown voltages and currents in a circuit using nodal analysis with the super node technique?

- a) One equation
- b) Two equations
- c) Three equations
- d) Four equations

#### Answer: b) Two equations

#### What is the advantage of using the super node technique in nodal analysis?

- a) It simplifies the circuit and reduces the number of equations needed to solve for the unknown variables
- b) It makes the circuit more difficult to analyze
- c) It increases the accuracy of the results obtained from nodal analysis
- d) It allows for the use of Ohm's law to solve for the unknown variables

# Answer: a) It simplifies the circuit and reduces the number of equations needed to solve for the unknown variables

#### What type of circuit elements can be included in a super node?

- a) Only voltage sources
- b) Only current sources
- c) Both voltage and current sources

#### d) Only resistors

# Answer: c) Both voltage and current sources

# In nodal analysis with the super node technique, how are dependent voltage sources treated?

- a) They are ignored
- b) They are treated as independent sources
- c) They are included in the super node equation
- d) They are treated as resistors

# Answer: c) They are included in the super node equation

# When is the super node technique not applicable in nodal analysis?

- a) When the circuit contains only voltage sources
- b) When the circuit contains only current sources

# c) When there are no nodes in the circuit

# Lec 11 - Examples of Loop Analysis

# What is the loop gain of the circuit shown below?

loop analysis circuit 1

- a) 2/3
- b) 3/2
- c) 1/3
- d) 3/4

Answer: a) 2/3

# What is the loop gain of the circuit shown below?

loop analysis circuit 2

a) -2

b) -1/2

c) -1

d) -1/4

**Answer: b) -1/2** 

# What is the loop gain of the circuit shown below?

loop analysis circuit 3

a) -1/3

b) -2/3

c) -3/2

d) -1

**Answer: b) -2/3** 

# What is the loop gain of the circuit shown below?

loop analysis circuit 4

a) 5/6

b) 6/5

c) 1/2

d) 2/3

# Answer: b) 6/5

# What is the loop gain of the circuit shown below?

loop analysis circuit 5

a) -1/3

b) -2/3

c) -3/2

d) -1

**Answer: c) -3/2** 

# What is the loop gain of the circuit shown below?

loop analysis circuit 6

a) -1/3

b) -2/3

c) -1

d) -3/2

**Answer: a) -1/3** 

# What is the loop gain of the circuit shown below?

loop analysis circuit 7

5/2

b) 2/5

c) 5/4

d) 4/5

Answer: a) 5/2

## What is the loop gain of the circuit shown below?

loop analysis circuit 8

a) -1/3

b) -3

c) -3/2

d) -2/3

Answer: d) -2/3

# What is the loop gain of the circuit shown below?

loop analysis circuit 9

a) -1/2

b) -2

c) -3/2

d) -1

**Answer:** a) -1/2

# What is the loop gain of the circuit shown below?

loop analysis circuit 10

a) -1/2

b) -1

c) -2

d) -3/2

Answer: c) -2

# Lec 12 - Applications of Loop Analysis

## What is loop analysis?

- a) A technique used in biology
- b) A method used in circuit theory
- c) A type of analysis used in finance
- d) None of the above

## Answer: b) A method used in circuit theory

#### What is another name for loop analysis?

- a) Mesh analysis
- b) Nodal analysis
- c) Kirchhoff's law
- d) Ohm's law

## Answer: a) Mesh analysis

# What is the purpose of loop analysis in circuit theory?

- a) To determine the transfer function of the circuit
- b) To calculate the voltage drops in the circuit
- c) To determine the loop currents in the circuit
- d) All of the above

#### Answer: d) All of the above

#### What is the difference between a loop and a mesh in loop analysis?

a) A loop is a closed path that contains other closed paths, while a mesh is a closed path that does not contain any other closed paths

b) A loop is a closed path that does not contain any other closed paths, while a mesh is a closed path that may contain other closed paths

c) There is no difference between a loop and a mesh in loop analysis

d) None of the above

# Answer: b) A loop is a closed path that does not contain any other closed paths, while a mesh is a closed path that may contain other closed paths

#### What is Kirchhoff's voltage law?

a) The sum of the voltage drops around any closed loop in a circuit is zero

b) The sum of the currents entering a node in a circuit is equal to the sum of the currents leaving the node

c) The resistance of a conductor is directly proportional to its length and inversely proportional to its crosssectional area

d) None of the above

#### Answer: a) The sum of the voltage drops around any closed loop in a circuit is zero

#### How is loop analysis used in designing circuits?

- a) To select the appropriate components for the circuit
- b) To ensure that the circuit performs the desired function
- c) Both a and b
- d) None of the above

#### Answer: c) Both a and b

#### What is the transfer function of a circuit?

- a) The ratio of the output voltage to the input voltage in a circuit
- b) The ratio of the output current to the input current in a circuit
- c) The resistance of a circuit
- d) None of the above

# Answer: a) The ratio of the output voltage to the input voltage in a circuit

# What are the advantages of using loop analysis in circuit theory?

- a) It provides a systematic method of solving circuit equations
- b) It helps in understanding the behavior of electrical circuits
- c) It can be used to troubleshoot circuits
- d) All of the above

#### Answer: d) All of the above

# What are the limitations of loop analysis in circuit theory?

- a) It cannot be used in circuits with nonlinear components
- b) It cannot be used in circuits with capacitors
- c) It cannot be used in circuits with resistors
- d) None of the above

Answer: a) It cannot be used in circuits with nonlinear components

#### How can loop analysis be used in analyzing feedback circuits?

- a) To design feedback circuits that perform the desired function
- b) To analyze the behavior of feedback circuits
- c) Both a and b
- d) None of the above

#### Answer: c) Both a and b

# Lec 13 - Applications of Loop Analysis part 2

#### In the design of power electronics circuits, loop analysis can be used to:

- a) Determine the resistance of the circuit
- b) Analyze the dynamic behavior of switching converters
- c) Calculate the capacitance of the circuit
- d) None of the above

Answer: b) Analyze the dynamic behavior of switching converters

#### What is loop analysis used for in the design of op-amps?

- a) To determine the input voltage of the op-amp
- b) To analyze the feedback loop of the op-amp
- c) To calculate the output voltage of the op-amp
- d) None of the above

#### Answer: b) To analyze the feedback loop of the op-amp

#### What type of circuits use feedback to modify their behavior?

- a) Power electronics circuits
- b) Passive filters
- c) Feedback circuits
- d) Op-amp circuits

#### Answer: c) Feedback circuits

#### In communication systems, loop analysis can be used to design:

- a) Low-pass filters
- b) High-pass filters
- c) Amplifiers
- d) All of the above

#### Answer: d) All of the above

#### Loop analysis provides a systematic and efficient method for analyzing circuit behavior by applying:

- a) Kirchhoff's voltage law
- b) Ohm's law
- c) Faraday's law
- d) Coulomb's law

#### Answer: a) Kirchhoff's voltage law

#### What are the advantages of using loop analysis in the design of electronic circuits?

- a) Ease of use
- b) Efficiency
- c) Accuracy
- d) All of the above
- Answer: d) All of the above

#### What type of filters can be designed using loop analysis?

- a) Low-pass filters
- b) High-pass filters
- c) Band-pass filters
- d) All of the above

#### Answer: d) All of the above

#### What is the significance of loop analysis in the design of stable and robust control systems?

- a) It allows for the optimization of the control system's performance
- b) It helps overcome the challenges of analyzing power electronics circuits
- c) It provides a method for designing op-amps
- d) None of the above

#### Answer: a) It allows for the optimization of the control system's performance

#### Loop analysis helps optimize the performance of electronic circuits by:

- a) Determining the transfer function of the circuit
- b) Identifying areas for improvement
- c) Analyzing the feedback loop
- d) All of the above

#### Answer: d) All of the above

# What are the challenges in the analysis and design of power electronics circuits, and how does loop analysis help overcome them?

- a) High voltages and currents; it provides a method to analyze the dynamic behavior of switching converters
- b) Low voltages and currents; it helps determine the resistance of the circuit
- c) High temperatures; it helps calculate the capacitance of the circuit
- d) None of the above

Answer: a) High voltages and currents; it provides a method to analyze the dynamic behavior of switching converters

# Lec 14 - Applications of Loop Analysis part 3

#### What is the main purpose of loop analysis in the design of power electronics circuits?

- a) To reduce the size of the circuit
- b) To increase the cost of the circuit
- c) To improve the efficiency and reliability of the circuit
- d) To reduce the power output of the circuit

#### Answer: c) To improve the efficiency and reliability of the circuit

#### Loop analysis can be used to design and optimize which type of circuit?

- a) Filters
- b) Amplifiers
- c) Control systems
- d) All of the above
- Answer: d) All of the above

#### Loop analysis can be used to optimize the performance of which type of system?

- a) Communication systems
- b) Biomedical engineering systems
- c) Renewable energy systems
- d) All of the above

#### Answer: d) All of the above

#### What is the role of loop analysis in the design and optimization of filters?

- a) To increase the distortion in the filter
- b) To reduce the efficiency of the filter
- c) To improve the signal quality and reduce noise in the filter
- d) To decrease the bandwidth of the filter

## Answer: c) To improve the signal quality and reduce noise in the filter

#### Loop analysis can be used to improve the stability of which type of circuit?

- a) Oscillators
- b) Amplifiers
- c) Power electronics circuits
- d) All of the above

#### Answer: a) Oscillators

#### How can loop analysis be used to optimize the performance of control systems?

- a) By reducing the feedback loop gain
- b) By increasing the feedback loop gain
- c) By optimizing the feedback loop gain to improve stability and reduce error
- d) By eliminating the feedback loop

#### Answer: c) By optimizing the feedback loop gain to improve stability and reduce error

#### What is the role of loop analysis in the design and optimization of biomedical engineering systems?

- a) To increase the cost of the system
- b) To decrease the efficiency of the system
- c) To improve patient outcomes, reduce costs, and increase efficiency of the system
- d) To increase the risk of complications in patients

#### Answer: c) To improve patient outcomes, reduce costs, and increase efficiency of the system

#### Loop analysis can be used to improve the performance of which type of system?

- a) Robotics systems
- b) Renewable energy systems
- c) Communication systems
- d) All of the above

#### Answer: d) All of the above

#### What is the importance of loop analysis in the design and optimization of signal processing circuits?

- a) To reduce the efficiency of the circuit
- b) To increase the noise in the circuit
- c) To improve the signal quality and reduce noise in the circuit
- d) To decrease the signal quality in the circuit

#### Answer: c) To improve the signal quality and reduce noise in the circuit

#### How can loop analysis be used to optimize the performance of renewable energy systems?

- a) By reducing the efficiency of the system
- b) By increasing the cost of the system
- c) By optimizing the feedback loop to improve efficiency and reliability of the system
- d) By increasing the environmental impact of the system

#### Answer: c) By optimizing the feedback loop to improve efficiency and reliability of the system

# Lec 15 - Applications of Loop Analysis part 4

### What is the primary purpose of loop analysis in circuit theory?

- A) To analyze the behavior of resonant circuits
- B) To optimize feedback control circuits
- C) To design and analyze filters
- D) To measure circuit performance

#### Answer: B) To optimize feedback control circuits

#### What type of circuits can loop analysis be used to design and optimize?

- A) Resonant circuits
- B) Power electronics circuits
- C) Communication circuits
- D) All of the above

#### Answer: D) All of the above

#### How does loop analysis help in designing filters?

- A) It analyzes the behavior of resonant circuits
- B) It optimizes the feedback control circuits
- C) It analyzes the frequency response of the circuit
- D) It measures the circuit performance

#### Answer: C) It analyzes the frequency response of the circuit

#### What is the role of loop analysis in the design of power electronics circuits?

- A) To analyze the behavior of resonant circuits
- B) To optimize feedback control circuits
- C) To design and analyze filters
- D) To measure circuit performance

## Answer: B) To optimize feedback control circuits

#### What is the importance of loop analysis in the design of communication circuits?

- A) It helps to analyze the behavior of resonant circuits
- B) It optimizes the feedback control circuits
- C) It helps to design and analyze filters
- D) It helps to reduce noise and improve signal quality

#### Answer: D) It helps to reduce noise and improve signal quality

#### Which of the following is an example of a passive component used in the design of filters?

- A) Transistor
- B) Capacitor
- C) Operational amplifier
- D) Diode

Answer: B) Capacitor

#### What is the role of loop analysis in the design of resonant circuits?

- A) To analyze the behavior of resonant circuits
- B) To optimize feedback control circuits
- C) To design and analyze filters
- D) To measure circuit performance

#### Answer: B) To optimize feedback control circuits

#### How does loop analysis help in the design and analysis of voltage regulators?

- A) It analyzes the behavior of resonant circuits
- B) It optimizes the feedback control circuits
- C) It helps to design and analyze filters
- D) It measures the circuit performance

#### Answer: B) It optimizes the feedback control circuits

#### What is the role of loop analysis in the design of inverters?

- A) To analyze the behavior of resonant circuits
- B) To optimize feedback control circuits
- C) To design and analyze filters
- D) To measure circuit performance

#### Answer: B) To optimize feedback control circuits

#### What are the potential future applications of loop analysis in circuit theory?

- A) They are limited to the current applications
- B) They will expand to other areas of circuit theory
- C) They will become obsolete due to new technologies
- D) They will be replaced by other analysis techniques

#### Answer: B) They will expand to other areas of circuit theory

# Lec 16 - Applications of Loop Analysis - Super Mesh Technique

#### What is the Super Mesh technique used for in circuit analysis?

- a) Analyzing circuits with multiple voltage sources
- b) Analyzing circuits with multiple current sources
- c) Analyzing circuits with both voltage and current sources
- d) None of the above

Answer: b) Analyzing circuits with multiple current sources

#### What principle is the Super Mesh technique based on?

- a) Kirchhoff's Voltage Law
- b) Ohm's Law
- c) Faraday's Law
- d) Kirchhoff's Current Law

#### Answer: d) Kirchhoff's Current Law

#### What is the first step in using the Super Mesh technique to analyze a circuit?

- a) Assigning a voltage to each loop
- b) Assigning a current to each loop
- c) Assigning a resistance to each loop
- d) Assigning a power to each loop

#### Answer: b) Assigning a current to each loop

#### What is the Super Mesh created by?

- a) Combining the meshes that contain voltage sources into a single mesh
- b) Combining the meshes that contain current sources into a single mesh
- c) Combining the meshes that contain resistors into a single mesh
- d) Combining the meshes that contain capacitors into a single mesh

#### Answer: b) Combining the meshes that contain current sources into a single mesh

# How is the current flowing in the Super Mesh expressed in terms of the other loop currents and the current sources?

- a) As the difference of the currents flowing in the individual loops
- b) As the sum of the currents flowing in the individual loops
- c) As the product of the currents flowing in the individual loops
- d) None of the above

Answer: b) As the sum of the currents flowing in the individual loops

#### What is the advantage of using the Super Mesh technique over other loop analysis techniques?

- a) It can be used to analyze circuits with multiple voltage sources
- b) It can be used to analyze circuits with multiple resistors
- c) It can be used to analyze circuits with multiple capacitors
- d) It can be used to analyze circuits with multiple current sources

#### Answer: d) It can be used to analyze circuits with multiple current sources

# How are the equations for the individual loop currents and the Super Mesh current solved to find the values of the loop currents?

- a) Using algebraic techniques
- b) Using numerical techniques
- c) Using graphical techniques
- d) Using analytical techniques

#### Answer: a) Using algebraic techniques

#### Can the Super Mesh technique be used to analyze circuits with only one current source?

a) Yes

b) No

Answer: a) Yes

#### What is the Super Mesh technique particularly useful for?

- a) Analyzing circuits with multiple resistors
- b) Analyzing circuits with multiple capacitors
- c) Analyzing power electronics circuits with multiple current sources
- d) Analyzing circuits with multiple voltage sources

Answer: c) Analyzing power electronics circuits with multiple current sources


#### What types of circuits are suitable for analysis using the Super Mesh technique?

- a) Circuits with only voltage sources
- b) Circuits with only resistors
- c) Circuits with only capacitors
- d) Circuits with multiple current sources

#### Answer: d) Circuits with multiple current sources


# Lec 17 - Examples of Loop Analysis

In the circuit shown below, what is the current flowing through the 6-ohm resistor?



Answer: b) 0.5 A

In the circuit shown below, what is the voltage across the 2-ohm resistor?



Answer: c) 1.5 V

In the circuit shown below, what is the voltage across the 5-ohm resistor?

lua

I			
5V			
I			
3 ohm			
I			
5 ohm			
I			
I			
I			
I			
a) 1 V			
b) 2 V			
c) 3 V			
d) 4 V			

# Answer: d) 4 V

# In the circuit shown below, what is the current flowing through the 10-ohm resistor?

lua

Copy code

2V			
6 ohm			
I			
10 ohm			
a) 0.1 A			
b) 0.2 A			
c) 0.3 A			
d) 0.4 A			

Answer: c) 0.3 A

In the circuit shown below, what is the voltage across the 4-ohm resistor?

lua

1		
3 ohm		
4 ohm		
a) 2 V		
b) 4 V		
c) 6 V		
d) 8 V		
Angword d) 9 V		

# Answer: d) 8 V

# In the circuit shown below, what is the current flowing through the 2-ohm resistor?

lua

| | 6V

· 			
3 ohm			
2 ohm			
a) 1 A			
b) 2 A			
c) 3 A			
d) 4 A			
A			

Answer: b) 2 A

### In the circuit shown below, what is the voltage across the 6-ohm resistor?

markdown

| | 9

# Lec 18 - Coupling equation

#### Which of the following statements about matrices is true?

- A. Matrices are a mathematical operation
- B. Matrices can only be one-dimensional
- C. Matrices are a rectangular array of numbers
- D. Matrices cannot be used in circuit theory

Solution: C. Matrices are a rectangular array of numbers.

#### What is the determinant of a 2x2 matrix [a b; c d]?

- A. ad bc
- B. ac bd
- C. a + b + c + d
- D. a b c d

#### Solution: A. The determinant of a 2x2 matrix [a b; c d] is ad - bc.

#### How are matrices used to solve systems of linear equations?

- A. By representing the coefficients of the equations in a matrix
- B. By taking the determinant of each equation
- C. By adding the equations together
- D. By finding the eigenvalues of the equations

Solution: A. Matrices are used to represent the coefficients of the equations in a matrix, which can then be solved using matrix multiplication and determinant operations.

#### What is Kirchhoff's Law?

- A. The sum of the currents at any node in a circuit must equal zero
- B. The sum of the voltages around any loop in a circuit must equal zero
- C. The sum of the resistance in a circuit must equal zero
- D. The sum of the power in a circuit must equal zero

Solution: A and B. Kirchhoff's Law states that the sum of the currents at any node in a circuit must equal zero, and the sum of the voltages around any loop in a circuit must equal zero.

#### What is the transfer function of a circuit?

- A. The input voltage divided by the output voltage
- B. The output voltage divided by the input voltage
- C. The resistance of the circuit
- D. The power dissipated by the circuit

#### Solution: B. The transfer function of a circuit is the output voltage divided by the input voltage.

#### What is pole-zero analysis?

A. An analysis of the behavior of a circuit during the transition period between the initial and final steady states

B. An analysis of the points at which the circuit becomes unstable or exhibits transient behavior

- C. An analysis of the transfer function of a circuit
- D. An analysis of the voltage drops in a circuit

Solution: B. Pole-zero analysis involves finding the poles and zeros of the transfer function of the circuit, which correspond to the points at which the circuit becomes unstable or exhibits transient behavior.

#### What is Laplace transform?

- A. A mathematical operation that can be performed on a matrix
- B. A mathematical tool used to transform time-domain equations of a circuit into the frequency-domain
- C. A method for solving systems of linear equations
- D. A method for calculating the determinant of a matrix

# Solution: B. Laplace transform is a mathematical tool used to transform time-domain equations of a circuit into the frequency-domain.

#### How can matrices and determinants be used to optimize electrical circuits?

- A. By representing the behavior of the circuit
- B. By finding the poles and zeros of the transfer function

- C. By solving systems of linear equations
- D. By designing and optimizing complex electrical circuits

# Solution: D. Matrices and determinants can be used to design and optimize complex electrical circuits for a wide range of applications.

### Which of the following is a 3x3 matrix?

A. [1 2 3; 4 5 6; 7 8 9]

B. [1 2; 3 4; 5 6]

C. [10;01;0

## Lec 19 - Matrices and determinants

#### Which of the following statements about matrices is true?

- A. Matrices are a mathematical operation
- B. Matrices can only be one-dimensional
- C. Matrices are a rectangular array of numbers
- D. Matrices cannot be used in circuit theory

Solution: C. Matrices are a rectangular array of numbers.

#### What is the determinant of a 2x2 matrix [a b; c d]?

- A. ad bc
- B. ac bd
- C. a + b + c + d
- D. a b c d

#### Solution: A. The determinant of a 2x2 matrix [a b; c d] is ad - bc.

#### How are matrices used to solve systems of linear equations?

- A. By representing the coefficients of the equations in a matrix
- B. By taking the determinant of each equation
- C. By adding the equations together
- D. By finding the eigenvalues of the equations

Solution: A. Matrices are used to represent the coefficients of the equations in a matrix, which can then be solved using matrix multiplication and determinant operations.

#### What is Kirchhoff's Law?

- A. The sum of the currents at any node in a circuit must equal zero
- B. The sum of the voltages around any loop in a circuit must equal zero
- C. The sum of the resistance in a circuit must equal zero
- D. The sum of the power in a circuit must equal zero

Solution: A and B. Kirchhoff's Law states that the sum of the currents at any node in a circuit must equal zero, and the sum of the voltages around any loop in a circuit must equal zero.

#### What is the transfer function of a circuit?

- A. The input voltage divided by the output voltage
- B. The output voltage divided by the input voltage
- C. The resistance of the circuit
- D. The power dissipated by the circuit

#### Solution: B. The transfer function of a circuit is the output voltage divided by the input voltage.

#### What is pole-zero analysis?

A. An analysis of the behavior of a circuit during the transition period between the initial and final steady states

B. An analysis of the points at which the circuit becomes unstable or exhibits transient behavior

- C. An analysis of the transfer function of a circuit
- D. An analysis of the voltage drops in a circuit

Solution: B. Pole-zero analysis involves finding the poles and zeros of the transfer function of the circuit, which correspond to the points at which the circuit becomes unstable or exhibits transient behavior.

#### What is Laplace transform?

- A. A mathematical operation that can be performed on a matrix
- B. A mathematical tool used to transform time-domain equations of a circuit into the frequency-domain
- C. A method for solving systems of linear equations
- D. A method for calculating the determinant of a matrix

# Solution: B. Laplace transform is a mathematical tool used to transform time-domain equations of a circuit into the frequency-domain.

#### How can matrices and determinants be used to optimize electrical circuits?

- A. By representing the behavior of the circuit
- B. By finding the poles and zeros of the transfer function

- C. By solving systems of linear equations
- D. By designing and optimizing complex electrical circuits

# Solution: D. Matrices and determinants can be used to design and optimize complex electrical circuits for a wide range of applications.

### Which of the following is a 3x3 matrix?

A. [1 2 3; 4 5 6; 7 8 9]

B. [1 2; 3 4; 5 6]

C. [10;01;0

# Lec 21 - Superposition Theorem and examples

#### What is the superposition theorem?

- a) A tool used to simplify complex circuits
- b) A theorem used to prove the existence of electric fields
- c) A principle used to calculate the magnetic field of a wire

#### Answer: a) A tool used to simplify complex circuits

#### In which type of circuits can the superposition theorem be used?

- a) Linear circuits only
- b) Nonlinear circuits only
- c) Both linear and nonlinear circuits

Answer: a) Linear circuits only

#### What is the superposition theorem based on?

- a) Kirchhoff's laws
- b) Ohm's law
- c) The principle of conservation of energy
- Answer: a) Kirchhoff's laws

#### What is the superposition theorem used to find?

- a) Voltage only
- b) Current only
- c) Both voltage and current

#### Answer: c) Both voltage and current

#### What does the superposition theorem state about sources in a circuit?

- a) Sources should be removed before applying the theorem
- b) Sources should be considered one at a time while other sources are turned off

c) Sources should be considered together to get the total result

Answer: b) Sources should be considered one at a time while other sources are turned off

Which formula is used to find the current through a resistor using the superposition theorem?

a) V = IR

- b) I = V/R
- c) I = I1 + I2 + ... + In
- Answer: c) I = I1 + I2 + ... + In

Which formula is used to find the voltage across a resistor using the superposition theorem?

- a) V = IR
- b) I = V/R
- c) V = V1 + V2 + ... + Vn
- Answer: c) V = V1 + V2 + ... + Vn

#### What is the advantage of using the superposition theorem?

- a) It simplifies complex circuits
- b) It allows for the use of nonlinear elements in a circuit
- c) It is applicable to circuits with dependent sources only

#### Answer: a) It simplifies complex circuits

#### Which principle is used to calculate voltage division in the superposition theorem?

- a) Kirchhoff's voltage law
- b) Ohm's law
- c) Kirchhoff's current law

Answer: b) Ohm's law

#### What is the limitation of using the superposition theorem?

a) It is applicable only to circuits with independent sources

- b) It is not applicable to circuits with nonlinear elements
- c) It is not applicable to circuits with capacitors or inductors

### Answer: b) It is not applicable to circuits with nonlinear elements

## Lec 22 - Source Transformation and examples

#### Which of the following is true about source transformation?

A. It is used to replace a resistance with an equivalent source.

B. It is used to replace a voltage source with an equivalent current source.

C. It is used to replace a current source with an equivalent voltage source.

D. It is used to replace a capacitor with an equivalent inductor.

#### Answer: B

What is the equivalent current source for a voltage source of 20V and resistance of 5??

- A. 5A
- B. 2A
- C. 4A
- D. 10A

#### Answer: B

#### What is the equivalent voltage source for a current source of 3A and resistance of 2??

- A. 6V
- B. 1.5V
- C. 5V
- D. 7V

Answer: A

#### When should source transformation be used in circuit analysis?

- A. When there are only voltage sources in the circuit.
- B. When there are only current sources in the circuit.
- C. When there are both voltage and current sources in the circuit.
- D. When there are capacitors and inductors in the circuit.

#### Answer: C

What is the equation for calculating the current through a voltage source?

A. I = V/R B. V = I\*R C. R = V/I D. I = R/V

Answer: A

What is the equation for calculating the voltage drop across a resistance?

- A. I = V/R
- B. V = I \* R
- C. R = V/I
- D. I = R/V

### Answer: B

What is the equivalent current source for a voltage source of 12V and resistance of 6??

A. 2A

B. 1.5A

C. 4A

D. 3A

Answer: A

What is the equivalent voltage source for a current source of 5A and resistance of 3??

A. 15V

B. 8V

C. 3V

D. 1.5V

Answer: A

#### Which of the following is not an advantage of using source transformation in circuit analysis?

- A. It simplifies the circuit.
- B. It reduces the number of different types of sources in the circuit.
- C. It makes analysis easier.
- D. It increases the complexity of the circuit.

#### Answer: D

### What is the purpose of source transformation?

- A. To replace a resistance with an equivalent source.
- B. To replace a voltage source with an equivalent current source.
- C. To replace a current source with an equivalent voltage source.
- D. To replace an inductor with an equivalent capacitor.

#### Answer: B