16 Lecture - CS301

Important Mcqs

- 1. In a BST, which node is deleted when the node to be deleted has no children?
 - a) The root node
 - b) The node to be deleted
 - c) The parent of the node to be deleted
 - d) None of the above

Answer: b) The node to be deleted

- When deleting a node with one child in a BST, which child of the deleted node replaces it?
 - a) The left child
 - b) The right child
 - c) It depends on the node's value
 - d) None of the above

Answer: c) It depends on the node's value

- 3. When deleting a node with two children in a BST, which node is used to replace the deleted node?
 - a) The left child of the deleted node
 - b) The right child of the deleted node
 - c) The smallest node in the right subtree of the deleted node
 - d) The largest node in the left subtree of the deleted node

Answer: c) The smallest node in the right subtree of the deleted node

- 4. Which traversal algorithm is commonly used to delete a node in a BST?
 - a) Inorder traversal
 - b) Preorder traversal
 - c) Postorder traversal
 - d) Level-order traversal

Answer: a) Inorder traversal

- 5. In a BST, what is the time complexity of deleting a node with one child?
 - a) O(1)
 - b) O(log n)
 - c) O(n)
 - d) It depends on the height of the tree

Answer: b) O(log n)

6. What is the time complexity of deleting a node with two children in a BST?
a) O(1)
b) O(log n)
c) O(n)
d) It depends on the height of the tree

Answer: d) It depends on the height of the tree

- 7. What happens when a leaf node is deleted in a BST?
 - a) The node is deleted and the tree is balanced
 - b) The node is deleted and the tree is left unbalanced
 - c) The tree becomes a binary tree
 - d) None of the above

Answer: a) The node is deleted and the tree is balanced

- 8. In a self-balancing BST, what type of rotation is performed when deleting a node with one child?
 - a) Left rotation
 - b) Right rotation
 - c) Double rotation
 - d) No rotation is performed

Answer: d) No rotation is performed

- 9. When deleting a node in a BST, what is the worst-case time complexity if the tree is unbalanced?
 - a) O(1)
 - b) O(log n)
 - c) O(n)
 - d) It depends on the size of the tree

Answer: c) O(n)

- 10. In a BST, what is the minimum number of children a node can have?
 - a) 0
 - b) 1
 - c) 2
 - d) There is no minimum number of children

Answer: a) 0