19 Lecture - CS304

Important Subjective

1. What is the purpose of the stream insertion operator in C++?

The stream insertion operator << is used to output data to a stream, such as cout.

How do you overload the stream insertion operator for a user-defined class?

To overload the stream insertion operator << for a user-defined class, you need to define a non-member function that takes an output stream std::ostream& and the class object as arguments.

Can the stream insertion operator be used to output multiple variables in a single statement?

Yes, the stream insertion operator can be chained to output multiple variables in a single statement, for example std::cout << a << " " << b << std::endl;

How can you control the formatting of output using the stream insertion operator?

You can use various manipulators such as std::setw and std::setprecision to control the formatting of output using the stream insertion operator.

What is the difference between the << operator and the put method of the output stream class?

The << operator is used to output data to a stream in a formatted way, whereas the put method is used to output individual characters to a stream.

How can you overload the stream insertion operator for a class that has private member variables?

You can make the stream insertion operator a friend function of the class, which allows it to access private member variables.

Can you use the stream insertion operator to output objects of built-in types like int or double?

Yes, the stream insertion operator can be used to output objects of built-in types like int or double.

What is the return type of the stream insertion operator?

The return type of the stream insertion operator is a reference to the output stream.

Can the stream insertion operator be used with input streams?

No, the stream insertion operator << is used only for output streams. The stream extraction operator >> is used for input streams.

How do you handle errors that occur while using the stream insertion operator?

You can use the std::ios::failbit flag to check for errors that occur while using the stream insertion operator, and handle the errors appropriately.