

2 Lecture - CS502

Important Mcqs

1. **What is the purpose of using asymptotic notation in the analysis of algorithms?**

- a) To focus on the growth rate of the function
- b) To consider constant factors and lower order terms
- c) To provide precise measurements of algorithm efficiency
- d) To identify the fastest algorithm

Answer: a) To focus on the growth rate of the function

Which asymptotic notation represents the upper bound of a function?

- a) Big O
- b) Omega
- c) Theta
- d) None of the above

Answer: a) Big O

Which asymptotic notation represents the lower bound of a function?

- a) Big O
- b) Omega
- c) Theta
- d) None of the above

Answer: b) Omega

Which asymptotic notation represents both the upper and lower bounds of a function?

- a) Big O
- b) Omega
- c) Theta
- d) None of the above

Answer: c) Theta

Which of the following statements is true about Big O notation?

- a) It represents the exact running time of an algorithm
- b) It represents the best-case running time of an algorithm
- c) It represents the worst-case running time of an algorithm
- d) It represents the average-case running time of an algorithm

Answer: c) It represents the worst-case running time of an algorithm

Which of the following notations is used to describe the best-case running time of an algorithm?

- a) Big O
- b) Omega
- c) Theta
- d) None of the above

Answer: b) Omega

Which of the following notations is used to describe the average-case running time of an

algorithm?

- a) Big O
- b) Omega
- c) Theta
- d) None of the above

Answer: d) None of the above (average-case running time is typically not described using asymptotic notation)

Which of the following functions has a higher growth rate: $f(n) = n^2$ or $g(n) = 2^n$?

- a) $f(n) = n^2$
- b) $g(n) = 2^n$
- c) They have the same growth rate

Answer: b) $g(n) = 2^n$

Which of the following functions has a lower growth rate: $h(n) = \log n$ or $j(n) = n$?

- a) $h(n) = \log n$
- b) $j(n) = n$
- c) They have the same growth rate

Answer: a) $h(n) = \log n$

Which of the following notations can be used to describe an algorithm with a constant running time?

- a) Big O
- b) Omega
- c) Theta
- d) None of the above

Answer: c) Theta (since constant time is both an upper and lower bound)