

5 Lecture - CS410

Important Mcqs

Question 1:

Which preprocessor directive is used to include a file in the C/C++ program?

- A) #include
- B) #define
- C) #ifdef
- D) #ifndef

Solution: A) #include

Question 2:

What is the purpose of the #ifdef directive in C/C++?

- A) It checks if a macro is defined.
- B) It includes a header file in the program.
- C) It defines a new macro.
- D) It checks if a macro is not defined.

Solution: A) It checks if a macro is defined.

Question 3:

Which preprocessor directive is used to define a macro in C/C++?

- A) #ifdef
- B) #ifndef
- C) #define
- D) #include

Solution: C) #define

Question 4:

What does the #ifndef directive do in C/C++?

- A) Checks if a macro is defined.
- B) Checks if a macro is not defined.
- C) Includes a header file in the program.
- D) Defines a new macro.

Solution: B) Checks if a macro is not defined.

Question 5:

Which directive is used to concatenate two tokens in C/C++?

- A) #define
- B) #ifdef
- C) ##
- D) #pragma

Solution: C) ##

Question 6:

What is the purpose of the #pragma directive in C/C++?

- A) To include a header file in the program.
- B) To define a new macro.
- C) To check if a macro is defined.
- D) To provide compiler-specific instructions.

Solution: D) To provide compiler-specific instructions.

Question 7:

Which directive is used to undefine a previously defined macro in C/C++?

- A) #undef
- B) #pragma
- C) #ifdef

D) #ifndef

Solution: A) #undef

Question 8:

What does the #error directive do in C/C++?

- A) Includes a header file in the program.
- B) Prints an error message during compilation.
- C) Checks if a macro is defined.
- D) Undefines a previously defined macro.

Solution: B) Prints an error message during compilation.

Question 9:

Which directive is used to include a file only if a certain condition is true in C/C++?

- A) #define
- B) #error
- C) #ifdef
- D) #if

Solution: D) #if

Question 10:

What does the #pragma once directive do in C/C++?

- A) Includes a header file in the program.
- B) Defines a new macro.
- C) Prevents multiple inclusions of the same header file.
- D) Undefines a previously defined macro.

Solution: C) Prevents multiple inclusions of the same header file.