8 Lecture - CS506

Important Subjective

Certainly, here are 10 subjective short questions along with their answers related to streams:
Question 1: What is the difference between a byte stream and a character stream?
Answer: A byte stream operates on raw binary data, while a character stream operates on character-encoded data. Byte streams are suitable for handling all types of data, while character streams are specifically designed for handling text-based data, ensuring proper character encoding.
Question 2: Explain the concept of buffering in stream processing.
Answer: Buffering involves temporarily storing data in memory before reading from or writing to the stream. This enhances performance by reducing the frequency of disk I/O operations. Data is read/written in larger chunks from/to the buffer, reducing overhead and improving efficiency.
Question 3: What is the purpose of the ''try-with-resources' statement in Java stream handling?
Answer: The "try-with-resources" statement is used to automatically close resources like streams when they're no longer needed. It ensures proper resource management and prevents resource leaks by automatically closing the resource after the execution of the associated block.
Question 4: How does the ''endl'' manipulator work in C++ streams?
Answer: The "endl" manipulator inserts a newline character into the stream and flushes the

Question 5: Describe the process of serializing and descrializing objects using streams.

waiting for a buffer to fill up.

output buffer. This ensures that the data is immediately written to the output stream, rather than

Answer: Serialization is the process of converting an object into a stream of bytes to save its state. Descrialization is the reverse process of reconstructing the object from the serialized bytes. Streams facilitate this by providing methods to write and read objects.
Question 6: What is the significance of the "seek" operation in file streams?
Answer: The "seek" operation allows you to move the file pointer to a specific position within a file. This is useful for reading or writing data at a particular location, enabling random access to data within the file.
Question 7: How does the concept of chaining streams (stream chaining) work in modern programming languages?
Answer: Stream chaining involves combining multiple operations on a stream in a single expression. Each operation processes the data and passes the result to the next operation. This enables concise and readable code for complex data manipulations.
Question 8: Explain what a standard input, standard output, and standard error stream are in Unix- like operating systems.
Answer: In Unix-like systems, standard input (stdin) is the default stream for reading input, standard output (stdout) is the default stream for writing output, and standard error (stderr) is the default stream for error messages. They can be redirected for input and output manipulation.
Question 9: How can you handle exceptions that might occur during stream operations in programming?
Answer: You can handle exceptions by using try-catch blocks. If an exception occurs during stream operations, the appropriate catch block can handle the exception, allowing you to handle errors gracefully.
Question 10: What is the purpose of the "flush" method in streams, and when would you use it?
Answer: The ''flush'' method forces any buffered data to be written to the output stream immediately. It's useful when you want to ensure that the data is written promptly, for example, when you need to display progress in a console application or when dealing with network streams.